



## Product categories




Frozen Food  
and Ice cream

## Technical features



Ventilated



Remote  
condensing unit



LED lighting



High efficiency  
fans



Electric defrost



EPTABLUÉ

## Certification and patents




Eurovent\*

\* Epta S.p.A. participates in the ECC programme for:  
Refrigerated display cabinets (RDC); Check ongoing validity  
of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com)  
or using: [www.certiflash.com](http://www.certiflash.com)

## Product range

SKYLIGHT									
Length- Lunghezza Longueur- Länge- Longitud mm			2P 1565	3P 2343	4P 3124	5P 3905	2P TG 1664	3P TG 2445	3P S TG 2025
SKYLIGHT	2110	E	•	•	•	•			
		M	•	•	•	•	•	•	•
	2260	E	•	•	•	•			
		M	•	•	•	•	•	•	
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	2110	E	2.30	3.50	4.60	5.80			
		M	2.50	3.70	5.00	6.20	2.50	3.70	3.00
	2260	E	2.50	3.80	5.00	6.30			
		M	2.70	4.00	5.40	6.70	2.70	4.00	
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2110	E	1.18	1.75	2.34	2.92			
		M	1.40	2.10	2.80	3.51	1.40	2.10	1.85
	2260	E	1.18	1.75	2.34	2.92			
		M	1.40	2.10	2.80	3.51	1.40	2.10	
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	2110	E	1218.40	1827.50	2436.70	3045.90			
		M	1608.90	2413.30	3217.70	4022.20	1608.90	2413.30	1980.7
	2260	E	1327.70	1991.60	2655.40	3319.30			
		M	1749.40	2624.20	3498.90	4373.60	1749.40	2624.20	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm			51.00			-			


## Cross sections




# SKYLIGHT

SkyEffect

## Cross Sections



R - MODULAR



EPTABLUE- OPTION